Applicant: Gordon G. Guay Attorney's Docket No.: 08935-298001 / M-5032

Serial No. : 10/664,818

Filed: September 16, 2003

Page : 6 of 16

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (original) A container that supplies a source of fuel to a direct methanol fuel cell, the container comprising:

a housing, the housing having at least a portion of a wall of the housing being comprised of a thermally conductive material;

- a fuel egress port supported by the housing; and
- a surface area enhanced planar vaporization membrane residing in the container.
- 2. (original) The container of claim 1 wherein the surface area enhanced planar vaporization membrane is a polymer membrane.
- 3. (original) The container of claim 1 wherein the at least a portion of a wall of the housing being comprised of a thermally conductive material is comprised of a metal.
- 4. (original) The container of claim 1 wherein remaining portions of walls of the container are thermally insulating.
- 5. (original) The container of claim 1 wherein the at least a portion of a wall of the housing being comprised of a thermally conductive material is a portion of the housing of the container disposed adjacent the fuel egress port of the container.
 - 6. (original) The container of claim 1 wherein the container is a fuel cartridge.

Applicant: Gordon G. Guay Attorney's Docket No.: 08935-298001 / M-5032

Serial No.: 10/664,818

Filed: September 16, 2003

Page : 7 of 16

7. (Currently Amended) The container of claim 1 6 wherein the cartridge contains the a liquid source of fuel hydrogen.

- 8. (Currently Amended) The <u>container</u> fuel cartridge of claim 1 wherein the liquid source of fuel hydrogen is methanol.
- 9. (Currently Amended) The <u>container fuel eartridge</u> of claim 1 wherein container is a fuel reservoir.
- 10. (Currently Amended) The <u>container fuel eartridge</u> of claim 1 wherein at least a portion of a wall of the housing being comprised of a thermally conductive material <u>sinks heat to</u> enhances a delivery rate of methanol in a vapor phase across the membrane to deliver <u>the</u> vapor at the egress port of the container.
- 11. (Currently Amended) A fuel cartridge that supplies a source of fuel to a direct methanol fuel cell, the fuel cartridge comprising:
- a housing, the housing containing <u>and in direct contact with</u> a liquid source of <u>an</u>

 <u>oxidizable fuel hydrogen</u> and having at least a portion of a wall of the housing being comprised of a thermally conductive material;
 - a fuel egress port supported by the housing.
 - 12. (original) The fuel cartridge of claim 11 wherein the liquid is methanol.
- 13. (original) The fuel cartridge of claim 11 wherein remaining portions of walls of the cartridge are thermally insulating.

Applicant: Gordon G. Guay

Attorney's Docket No.: 08935-298001 / M-5032

Serial No.: 10/664,818

Filed: September 16, 2003

Page : 8 of 16

14. (original) The fuel cartridge of claim 11 wherein the at least a portion of a wall of the housing being comprised of a thermally conductive material is a portion of the housing of the

container disposed adjacent the fuel egress port of the cartridge.

15. (original) The fuel cartridge of claim 11 wherein the at least a portion of a wall of the

housing being comprised of a thermally conductive material is comprised of a metal.

16. (original) A method comprises:

disposing a fuel cartridge into a compartment of an electronic device such that a portion of a wall of a housing of the fuel cartridge that is comprised of a thermally conductive material is placed in thermal communication with a heat generating component in the electronic device to

enable a vapor phase of the fuel in the housing to egress from the cartridge.

17. (original) The method of claim 16 wherein fuel cartridge contains a source of an

oxidizable fuel.

18. (New) The method of claim 17 wherein the oxidizable fuel is methanol.

19. (New) The method of claim 16 wherein disposing a fuel cartridge permits heat that is

generated by the component in the electronic device to increase a vapor pressure of the fuel in

the housing to cause the fuel to egress from the cartridge, as a vapor.